Flintshire Local Development Plan

Candidate Site Assessment Methodology Background Paper

Summary of Representations and Responses

Name / Organisation	Comments / Changes Sought	Response	Recommendation
NJL Consulting	Comments regarding criteria in paragraph 3.14 which establish the suitability for inclusion / exclusion of land from settlement boundaries :-		
	Opportunities for infrastructure expansion and/or an increased town centre offer to support the proposed residential development should also be considered.	Noted.	
	It should be noted that physical boundaries need not necessarily exist at present, as these could be implemented as part of a residential scheme.	Noted. As a matter of principle it is sensible to use existing physical features as they are constitute readily identifiable features on the ground. However there may be instances where settlement boundaries can be formed as part of a development scheme.	
	Allocations carried over from the UDP which have no prospect of genuinely being delivered should not be taken into consideration at this stage.		
	Site specific mitigation should be taken into consideration in relation to constraints.		
	The criterion relating to including brownfield sites should be removed and brownfield and greenfield sites considered individually on their own merits.		

	This includes the use of brownfield land inside and on the edge of existing settlements as a starting point. It is accepted that not all brownfield land is necessarily suitable for development and allocations in the plan are likely to utilise greenfield sites.
Site specific mitigation should be taken into account as regards intrusion into the open countryside, ribbon development, fragmented or sporadic patterns of development.	Noted. It is a central tenet of Planning Policy Wales that development in the open countryside should be strictly controlled and in particular the avoidance of sporadic and the creating or extending of ribbon development which can result in unsustainable development patterns. Not all impacts on open countryside can be addressed through mitigation e.g. landscaping.
There should not be a blanket exclusion of playing fields, playgrounds and other amenity land, as opportunities may exist to replace facilities elsewhere.	Noted. The criterion is not implying a blanket exclusion of such areas. By their nature playing fields, playgrounds and amenity areas are generally open in character and there is no necessity for them to be included in the settlement boundary. The Council will have regard to the function these facilities offer to the community and the opportunity/need to provide replacement facilities.
In terms of para 3.15 sites over 0.3ha located on the edge of settlements should be given priority for residential allocations and considered as part of a settlement boundary review to form part of the second stage of the assessment.	Noted. Allocating sites on the edge of existing settlements as a matter of principle sits comfortably with the search sequence approach advocated in Planning Policy Wales (PPW). Paragraph 3.9 of the assessment methodology indicates that only sites which are 0.3ha or greater and capable of accommodating 10 dwellings will be considered for their suitability as a housing allocation. This reflects the site size threshold applied in the adopted UDP and the Joint Housing Land availability studies.
Sites should not be assessed on their number of constraints, but rather on the type of constraints and likelihood of any constraints being overcome. Remove paragraph 3.17 from the assessment.	Part accepted. It is acknowledged in paragraph 3.17 that the type and level of constraint will vary on a site by site basis. Clearly the assessment process must have regard to such constraints some of which it may

	be possible to overcome and others which may be insurmountable. It is not considered appropriate to remove the paragraph in its entirety but to amend it to address this point.	depend on the nature of constraints in terms of whether they can be overcome or are insurmountable'.
Deliverable greenfield sites should be allocated for housing delivery within the first five years of the plan period, particularly in light of the fact that Flintshire have a significant shortfall in housing land supply. This should be considered within the site assessment.	Noted. Delivering the Plan's preferred strategy in its totality as well as for housing is a critical function of the LDP. The Call for Candidate Sites Submission Form includes a section regarding infrastructure, Utilities and deliverability of the Candidate Site submitted. Furthermore the assessment methodology reflects Welsh Assembly Government guidance that the identification of sites "should be founded on a robust and credible assessment of the suitability and availability of land for particular uses or a mix of uses and the probability that it will be developed". When read in conjunction with the Topic Papers it is clear that the Plan will need to allocate a range of housing sites in terms of location, size and type to ensure that a 5 year housing land supply can be secured throughout the Plan period. An important factor will be to have sites that can come forward quickly following adoption.	No change.
The plan strategy should be taken into account within the second stage of site assessment and not as a separate third stage.	Noted. The assessment document refers to four logical stages in the methodology and whilst stage 1 seeks to filter the small sites from the large sites (each one of which will be assessed) the methodology is in itself an iterative process as opposed to separate stages. It is entirely appropriate to carry out detailed assessments of the Candidate Sites in order for them then to be assessed for compliance with the Plan's preferred strategy. The objective of stage 2 is to undertake a 'technical' assessment of Candidate Sites to determine which are technically suitable to be taken forward for consideration against the emerging Plan Strategy. It would be inappropriate and inefficient for sites which are technically unacceptable to be assessed against the emerging Plan strategy.	No change.

J10 Planning	Support the approach contained in stage 2 – Detailed appraisal. Suitability for allocation ought to also consider site availability and general deliverability.

concerns or it is a clear cut “no” there are not.

Q23 – whether site would have a detrimental impact upon the character of the settlement:

addressed. Recommend that it is to enhance the

Recommend that only sites with the capacity for more

character of an area as well as being a natural habitat.
Suggest additional criterion:-
13d – Would development of the candidate site result in the loss or potentially impact any trees? Loss of Trees / Potential Impact / No loss or impact

Stage 2 Detailed Appraisal - Infrastructure

This section implies an assessment of capacity will take place at this stage albeit the detailed assessment checklist does not reflect this. Officers may not have all technical information required to make this assessment.

viability perspective.

This section should focus on whether there are any known significant infrastructure constraints for example the presence of a gas or water main through the site. Include additional criterion:-
10a – Are there any high pressure gas or water pipelines running through the site that are a constraint to development? Yes / No

Stage 2 Detailed Appraisal - Accessibility

Pedestrian and cyclist access to services is important. The focus of the methodology is on the distance of the candidate sites from these facilities. Amend paragraph 3.23 to ensure the distances measured are along adoptable highways and areas outside of the preferred maximums will not be taken forward as candidate sites as some candidate sites are extremely large and distances within the site could differ enormously.

Amend criteria 6, 7 and 8 to read:

6 - Is the site located within 400m or 800m walk along an adopted footpath of an access point to regular (at least 5 services between 7am- 7pm Monday-Saturday)

7 - Is the whole site located within 400m or 800m walk along an adopted footpath of a shop or selection of shops selling daily living essentials?

8a - Is the whole site located within 1000m or 2000m walk along an adopted footpath of a school and other community facilities including recreation open space?

8b – How many facilities? <1 or 1-2 or >3

Stage 2 Detailed Appraisal – Economic Viability

Officers will be making judgements on the issue of economic viability. It is more appropriate that if there are concerns about the viability, due to for example known physical constraints or fragmented ownerships, the assessment should not discount the site but identify if additional information such as a development appraisal (to be provided by the Candidate Site proposer) will be required.

The detailed criteria do not deal with the matter of viability or dount.2(o be2(t)-1e)-12.2(l)3.1(-216.1( )-1.2(t)-1 0.001 Tw -23.15 0 Td ( )T[(N9(et)-6.3(w)9.2((et)-8.1(r)-6.3(i)3.1(t)-1.1(er)-18.4i)-8.9(i)-8(uc)-h2.3(u

	No reference is made to the need to take into account former uses of the site as a potential development constraint and would recommend specific criteria be added to ensure deliverability of any affected candidate sites are properly assessed. Add new criteria to 24.	Not accepted. In the Candidate Site Submission Form Under the headings “Land Use /Planning History” and “Environmental” there are specific questions relating to previous uses of the site and whether or not the site is previously developed land. The issue of brownfield land is also picked up in question 2 of the Officer assessment form in the methodology.	No change.
	24b Has the candidate site been a former quarry where land stability issues could impact development? Yes / No / Unknown	Partly accepted. In the environmental section of the Candidate Site Submission Form there is a specific question asking whether or not there is any history of subsidence on the site or in the locality. It is therefore reasonable to include a question regarding land stability after Q24 which deals with contaminated land.	Add a new question after Q24 ‘Is the land likely to be adversely affected by land stability issues? No Yes Yes but capable of being addressed through mitigation
	24c Has the candidate site been used / or does it lie adjacent to a former landfill site? Yes / No / Unknown	Accepted. It is considered that this an appropriate additional criterion given that it has not been referred to in either the Candidate Site Submission or Officer assessment forms.	Add new question after Q24 Has the candidate site been used / or does it lie adjacent to or in close proximity to a former landfill site? Yes / No / Unknown
Emery Planning	The Settlement Boundary review criteria appear acceptable. It is not necessary to draw the settlement boundaries excessively tightly around settlements. Currently many boundaries are drawn very tightly, often excluding residential gardens, which is unduly inflexible. Small housing1.1(t)-10 912.3(l8.9(es)-8.1(ex)- u)-12.3(ndu)-12.3(l)-8.12.2( )-1.1(3(l)3.1(08(n)0.-24.5(al)3.1(l)3.2(ho)-12.3(us)-8(i)3.1(ng1.1(t8.9(y)1616( )-12.1		

		small residential schemes can make a contribution to meeting housing needs including specific local needs.	
	The planning assessment should take account of not just existing policies, but also should be influenced by (and inform) future policies. A significant extension to the village of Northop is put forward and the potential benefits of the proposal need to be weighed against non-compliance with existing policies. which may result in a different strategic approach being pursued for the distribution of development.	The assessment of candidate sites will be primarily undertaken having regards to the criteria and stages contained in the methodology paper. In addition to their individual planning merits regard will also be had to the most up to date local and national planning policy. In addition to the detailed planning assessment, Candidate Sites will be assessed having regards to the Plan's preferred strategy once this is finalised.	No change.
	Regard should be had to the potential for parts of a site to come forward. If a large site is considered unsuitable due to its scale or a particular issue with part of the site, then consideration should be given as to whether a smaller part of the site would be suitable.	Accepted. This is recognised at paragraph 3.17 of the planning assessment which states that many sites are likely to have some level of constraint which may reduce the developable area of a candidate site.	No change.
Wirral Council Regeneration and Planning Service	Paragraph 3.3 identifies that any site which is likely to have a significant effect on a SAC/SPA/Ramsar site must be subject to an appropriate assessment under the		

The ‘Candidate Site Officer Assessment Form’ (Appendix C) should be modified in the following way:

Q.6 – In respect of rural areas a distance greater than 400m / 800m should be considered appropriate within more rural Category C settlements.

Q.7 – In respect of rural areas a distance greater than 400m / 800m should be considered appropriate within more rural Category C settlements.

placed on previously developed brownfield land.	methodology has regards to the issue of a preference for using brownfield land. Where possible, appropriate brownfield land may be allocated bearing in mind that not all previously developed land is automatically acceptable for new housing development.	
The methodology process for the assessment of sites put forward as potential Green Barrier should be better defined. Areas put forward as potential Green Barriers should be assessed against a range of criteria, guided by Planning Policy Wales, 4.8.11 – 4.8.13.	Accepted. The most recent review of green barriers was undertaken when producing the UDP. As part of preparing the LDP and in particular identifying a preferred spatial strategy, the Council will conduct a further review of existing green barriers in line with up to date advice contained in PPW, whilst having regards to the views of the UDP Inspector. Any proposed green barrier Candidate Sites will also be assessed having regards to the criteria set out in paragraphs 4.8.11 – 4.8.13.	No change.
Buckley for example is a Category A settlement which quite clearly is suitable to accommodate significant growth over the Plan period. However existing Green Barrier allocations to the south of the settlement somewhat limit growth. It is submitted that Green Barrier designation to the south / south east of the settlement is over zealous and controlled growth in this area would not compromise the purposes of such land.	It is not disputed that Buckley is a sustainable location for development given that it is one of the main towns in Flintshire and having regards to the number and types of services and facilities present in the settlement. The Inspectors at the Alyn and Deeside Local Plan Inquiry and the UDP Inquiry both supported the green barrier in this location. Nevertheless the Council will conduct a further review of green barriers in line with up to date advice contained in PPW, whilst having regards to the views of the UDP Inspector.	No change.
The 'Candidate Site Officer Assessment Form' (Appendix C) should be modified in the following way:		
Q.6 – In respect of rural areas a distance greater than 400m / 800m should be considered within more rural Category C settlements.	Not accepted. The distances referred to are taken from the "Guidelines for Providing Journeys on foot" produced by the Institute of Highways and Transportation. These guidelines are a widely	

Q.7 – In respect of rural areas a distance greater than

I